

What does upstream mean in nginx?

Asked 13 years, 11 months ago Modified 3 years, 6 months ago Viewed 261k times



266



Never seen it before, anyone knows, what it means?



nginx

configuration



Share Improve this question Follow

edited Feb 17, 2016 at 16:01



automatix

14.6k ● 31 ● 118 ● 245

asked May 4, 2011 at 2:47



gdb

7,819 ● 13 ● 41 ● 37

3 Answers

Sorted by: Highest score (default)



281

It's used for [proxying requests to other servers](#).

An example from <http://wiki.nginx.org/LoadBalanceExample> is:



```
http {
    upstream myproject {
        server 127.0.0.1:8000 weight=3;
        server 127.0.0.1:8001;
        server 127.0.0.1:8002;
        server 127.0.0.1:8003;
    }

    server {
        listen 80;
        server_name www.domain.com;
        location / {
            proxy_pass http://myproject;
        }
    }
}
```

This means all requests for / go to the any of the servers listed under upstream XXX, with a preference for port 8000.

Share Improve this answer Follow

edited Mar 27, 2017 at 16:10

answered May 4, 2011 at 2:56



Bahrom

4,872 ● 34 ● 44



Phil Lello

8,639 ● 2 ● 27 ● 36

3 why do you precise `http {}` ? My conf has not this and it works. Just wondering – [Olivier Pons](#) Jun 16, 2017 at 7:56

14 @OlivierPons maybe your config is `/etc/nginx/conf.d/default.conf` that is included in `/etc/nginx/nginx.conf`, which HAS `http {}` – [srghma](#) Mar 15, 2018 at 19:47



62



[upstream](#) defines a cluster that you can proxy requests to. It's commonly used for defining either a web server cluster for load balancing, or an app server cluster for routing / load balancing.

Share Improve this answer Follow

edited Feb 2, 2017 at 13:42

answered May 4, 2011 at 2:49



mikemaccana

124k ● 110 ● 432 ● 534



Ben Taitelbaum

7,413 ● 3 ● 27 ● 45



33



If we have a single server we can directly include it in the `proxy_pass` directive. For example:

```
server {
    ...
    location / {
        proxy_pass http://192.168.206.105:80;
        ...
    }
}
```

But in case if we have many servers we use upstream to maintain the servers. `Nginx` will load-balance based on the incoming traffic, as shown in this [answer](#).

Share Improve this answer Follow

edited Sep 22, 2021 at 10:35

answered Oct 14, 2020 at 13:32



McLan

2,698 ● 9 ● 55 ● 91



satyanarayana

467 ● 4 ● 4

2 Thanks. I was trying to `upstream` for one backend server, got too many open file errors etc. This is what I wanted for a test setup proxying towards Mojolicious. – [Hugh Barnard](#) May 13, 2021 at 8:40

Start asking to get answers

Find the answer to your question by asking.

[Ask question](#)

Explore related questions

nginx **configuration**

See similar questions with these tags.