

[Skip to main content](#)

r/Authentik



Search in r/Authentik

[Log In](#)

...



r/Authentik • 1 yr. ago

silverscruff

...

Secure an app without native auth using Authentik without a domain name...

Is it possible with Authentik to secure an app on a local network without using a domain name? In other words, using the app's existing IP address and port only.

I have OliveTin setup to run scripts locally on my media server, makes managing things much easier. OliveTin does not have native authentication. I run a Pi-hole instance on the same network. I CAN set this up with a domain by setting up a local DNS CNAME entry in Pi-hole, and this works to secure the app when it's behind a domain name with Authentik (i.e. olivetin.local). The issue is that the application is still accessible via direct IP and I don't want family members able to run scripts as root on my media server. Is this possible? If not, how can I lock down the app's IP address so it's only available if accessed via domain name (would like to avoid messy firewall rules if possible)?

I'm also using NPM (Nginx Proxy Manager).

[Read more ▾](#)

2



3



Share

monday_com • Promoted

...

The feeling of not having enough time to finish all your tasks is real! Well, with monday.com's work management platform, get more done in less time with automations, real-time communication, and notifications. Smash that done button! Try now.

[Sign Up](#)

monday.com

[Join the conversation](#)Sort by: [Top \(Default\)](#) ▾

Search Comments



Buco__ • 1y ago

[Skip to main content](#)[Log In](#)

In Authentik just setup an app that use a proxy provider. Either you use proxy mode or single application mode if you have nginx in front and want to do some "custom things" (I made it so that my calibre web logout route go trough nginx so that I could overwrite the Location header to point to Authentik for example).

You should be able to access it using the domain name only.

That shoud fix your issue if you just wanted to be able to access Olive Tin only through Authentik.

Only using ip adress is not possible I think, because Authentik probably use the hostname to determine the provider. The only way would be to set Host header but I mean your browser don't do that on it's own if you specifically point it to an ip adress.

(-) 1 ...

silverscruff OP • 1y ago

I have it working fine by hostname but I'm not sure I understand your first statement. I do apologize, but I'm a bit of a newb with networking and authentication. What do you mean by "listen only on localhost" in Nginx Proxy Manager? How do I set that up?

OliveTin, Authentik, and NPM are all on the same machine. Call it "server1". Authentik and NPM are Docker containers. OliveTin runs as a native service with root privileges on the host machine for permission and access reasons.

- In Pi-hole I have a local DNS A record entry: "server1" which points to the machine's reserved internal IP (192.168.x.y)
- In Pi-hole I have a CNAME entry: "olivetin.server1" subdomain which points to the hostname "server1"
- In NPM I have a reverse proxy entry: "olivetin.server1" pointing to the IP of Authentik (192.168.x.y:9000) - OliveTin also requires WebSocket, so that is enabled in NPM
- In Authentik I have an application with a reverse proxy provider: "olivetin.server1" pointing to OliveTin's IP 192.168.x.y:1337
- In Authentik I'm using the default embedded outpost

This all works fine for accessing OliveTin through Authentik by hostname "olivetin.server1" - I'm stuck on the locking down the IP address part... OR... using strictly the IP address only with Authentik (seems it's not possible, which is fine if I can figure out how to lock down the IP address).

I really appreciate any feedback or help as I have other services that don't have native authentication that I would also like to lock down.

1 ...

1 more reply

[Skip to main content](#)[Log In](#)[Continue with Google](#)[Continue with Email](#)[Continue With Phone Number](#)

By continuing, you agree to our [User Agreement](#) and acknowledge that you understand the [Privacy Policy](#).



r/littlestpetshopfakes • 4 mo. ago

Auth?

25 upvotes · 6 comments



r/littlestpetshopfakes • 25 days ago

Auth?

42 upvotes · 13 comments



r/liiiiiittttttttt • 6 mo. ago

Here we take both network and physical security very seriously

2.1K upvotes · 36 comments



r/ShittySysadmin • 6 mo. ago

We take our network physical security seriously

1.9K upvotes · 32 comments



r/everskiestrashhh • 3 mo. ago

Why do so many users suddenly have DID

107 upvotes · 29 comments



r/ShittySysadmin • 1 mo. ago

Am I being hacked or this is normal ?

85 upvotes · 12 comments

[Skip to main content](#)[Log In](#)

56 upvotes · 27 comments



r/talesfromtechsupport • 3 mo. ago

Can't you just automate it?

1.4K upvotes · 72 comments



r/ShittySysadmin • 2 mo. ago

Gotta update those antivirus definitions

267 upvotes · 6 comments



r/pihole • 1 yr. ago

I want to use pihole for jellyfin access local access via domain name?

7 upvotes · 7 comments



r/PleX • 1 yr. ago

ISP has set up CGNAT, I have a domain name with cloudflare and a reverse proxy with nginx, but no matter what I try, all remote traffic uses relay.

4 upvotes · 41 comments



r/techgore • 6 days ago

A day in a linux user

289 upvotes · 38 comments



r/aws • 1 yr. ago

Is it possible to forward an Route 53 domain to a 3rd party domain hosted in an non-AWS data center?

11 comments



r/Traefik • 1 yr. ago

Can Traefik use WAN domain name to make a LAN connection?

2 upvotes · 2 comments



r/homelab • 1 yr. ago

How to use same DNS hostname but skip routing traffic to nginx-proxy-manager when on LAN?

10 comments

[Skip to main content](#)[Log In](#)

1 upvote · 9 comments

 r/pihole • 1 yr. ago**Can't access Nginx proxy hosts with unbound as DNS but can access them with Cloudflare or Google DNS**

2 upvotes · 5 comments

 r/nginxproxymanager • 1 yr. ago**WebSocket insecure not allowed - why if the webserver is on LAN and is proxied by NGINX?**


1 upvote

 r/Tailscale • 1 yr. ago**Possible to access custom endpoints (i.e. example.lan for a self-hosted service on my home network) from the coffee shop? (not on port 80)**

2 upvotes · 1 comment

 r/MacOS • 1 yr. ago**Properly configuring stunnel TLS proxy for sharing within the same LAN with iOS?**

1 upvote

 r/KSPMemes • 7 mo. ago**how google makes suggested passwords**

328 upvotes · 25 comments

 r/aspiememes • 17 days ago**Dang, I might re-download the app again...**

125 upvotes · 8 comments

 r/ShittySysadmin • 4 mo. ago**The things I do to keep end-users safe...**

191 upvotes · 10 comments

 r/girlsgonewired • 3 mo. ago**Started a new (unpaid) Substack about my journey to high-tech**



Log In

as a Linux user, this infuriates me to the core



46 upvotes · 17 comments

Related discussion

Best Authenticator Apps

TOP POSTS

Reddit

reReddit: Top posts of March 4, 2024

Reddit

reReddit: Top posts of March 2024

Reddit

reReddit: Top posts of 2024

Trending topics today

Steve McMichael dead at 67

EU fines Apple and Meta

Kyiv hit by missile attack

Predator: Badlands trailer